

## n-hexane

Version number: GHS 2.0  
Replaces version of: 25.02.2016 (GHS 1)

Revision: 13.10.2017

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1 Product identifier

Identification of the substance	<b>n-hexane</b>
Registration number (REACH)	01-2119480412-44-0002
EC number	203-777-6
Index No	601-037-00-0
CAS number	110-54-3
Additional relevant and available information	n-hexane > 99,5% n-hexane > 99% n-Hexane > 97,5% n-hexane > 95% n-hexane > 90%

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	manufacture of substances Distribution of substance Formulation & (re)packing of substances and mixtures Uses in Coatings Use in Cleaning Agents Blowing agents Functional Fluids Use in laboratories Mining chemicals Polymer processing Use as a fuel
--------------------------	---

#### 1.3 Details of the supplier of the safety data sheet

DHC Solvent Chemie GmbH  
Timmerhellstraße 28  
D-45478 Mülheim an der Ruhr  
Germany

Telephone: +49 (208) 9940-0  
Telefax: +49 (208) 9940-150

Competent person responsible for the safety data sheet	Vanessa Manz
e-mail (competent person)	productsafety@dhc-solvent.de

#### 1.4 Emergency telephone number

Emergency information service

Poison centre	
Country	Telephone
United Kingdom	+44 1235 239670

## n-hexane

Version number: GHS 2.0  
Replaces version of: 25.02.2016 (GHS 1)

Revision: 13.10.2017

### SECTION 2: HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

##### Classification according to Regulation (EC) No 1272/2008 (CLP)

Hazard class	Category	Hazard class and category	Hazard statement
flammable liquid	Cat. 2	(Flam. Liq. 2)	H225
skin corrosion/irritation	Cat. 2	(Skin Irrit. 2)	H315
reproductive toxicity	Cat. 2	(Repr. 2)	H361f
specific target organ toxicity - single exposure (narcotic effects, drowsiness)	Cat. 3	(STOT SE 3)	H336
specific target organ toxicity - repeated exposure	Cat. 2	(STOT RE 2)	H373
aspiration hazard	Cat. 1	(Asp. Tox. 1)	H304
hazardous to the aquatic environment - chronic hazard	Cat. 2	(Aquatic Chronic 2)	H411

#### Remarks

For full text of H-phrases: see SECTION 16.  
Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/2008/EC, Annex VI).  
Substance with a community indicative occupational exposure limit value.

#### The most important adverse physicochemical, human health and environmental effects

May be fatal if swallowed and enters airways.  
The product is combustible and can be ignited by potential ignition sources.

#### 2.2 Label elements

##### Labelling according to Regulation (EC) No 1272/2008 (CLP)

##### Signal word

**Danger**

##### Pictograms

GHS02, GHS07,  
GHS08, GHS09



##### Hazard statements

H225	Highly flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H336	May cause drowsiness or dizziness.
H361f	Suspected of damaging fertility.
H373	May cause damage to organs through prolonged or repeated exposure.
H411	Toxic to aquatic life with long lasting effects.

##### Precautionary statements

##### Precautionary statements - prevention

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P241	Use explosion-proof electrical/ventilating/lighting equipment.
P260	Do not breathe the mist/vapours/spray.
P273	Avoid release to the environment.
P281	Use personal protective equipment as required.

## n-hexane

Version number: GHS 2.0  
Replaces version of: 25.02.2016 (GHS 1)

Revision: 13.10.2017

### Precautionary statements - response

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor/physician.  
P331 Do NOT induce vomiting.  
P370+P378 In case of fire: Use sand, carbon dioxide or powder extinguisher to extinguish.

### Precautionary statements - storage

P403+P233 Store in a well-ventilated place. Keep container tightly closed.  
P403+P235 Store in a well-ventilated place. Keep cool.

### Precautionary statements - disposal

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

### 2.3 Other hazards

According to the results of its assessment, this substance is not a PBT or a vPvB.  
Vapour heavier than air, may form an explosive mixture in air: it may be ignited at some distance away from the spill resulting in flashbacks. Flowing product can create electrostatic charge, resulting sparks may ignite or cause an explosion.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 Substances

Name of substance	n-Hexane
Registration number (REACH)	01-2119480412-44-0002
EC number	203-777-6
CAS number	110-54-3
Index No	601-037-00-0
Purity	>95 %
Molecular formula	C <sub>6</sub> H <sub>14</sub>

## SECTION 4: FIRST AID MEASURES

### 4.1 Description of first aid measures

#### General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

#### Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

#### Following skin contact

Wash with plenty of soap and water.

#### Following eye contact

Irrigate copiously with clean, fresh water, holding the eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following ingestion

Do NOT induce vomiting. Rinse mouth with water (only if the person is conscious).

### 4.2 Most important symptoms and effects, both acute and delayed

Choking and suffocation risks. Narcotic effects. Deficits in perception and coordination, reaction time, or sleepiness.

## n-hexane

Version number: GHS 2.0  
Replaces version of: 25.02.2016 (GHS 1)

Revision: 13.10.2017

### 4.3 Indication of any immediate medical attention and special treatment needed

none

## SECTION 5: FIREFIGHTING MEASURES

### 5.1 Extinguishing media

#### Suitable extinguishing media

carbon dioxide (CO<sub>2</sub>), BC-powder, foam, alcohol resistant foam, water mist

#### Unsuitable extinguishing media

water jet

### 5.2 Special hazards arising from the substance or mixture

Solvent vapours are heavier than air and may spread along floors. In case of insufficient ventilation and/or in use, may form flammable/explosive vapour-air mixture. May produce toxic fumes of carbon monoxide if burning.

#### Hazardous combustion products

carbon monoxide (CO), carbon dioxide (CO<sub>2</sub>)

### 5.3 Advice for firefighters

Wear breathing apparatus if exposed to vapours/dust/spray/gases. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance. Keep containers cool with water spray.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Remove persons to safety. Avoid inhaling sprayed product. Wearing of suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. Remove/take off immediately all contaminated clothing and wash it before reuse.

#### For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

### 6.3 Methods and material for containment and cleaning up

#### Advices on how to contain a spill

Covering of drains.

#### Advices on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage (sawdust, kieselgur (diatomite), sand, universal binder).

#### Appropriate containment techniques

Use of adsorbent materials. - covering of drains

#### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

## n-hexane

Version number: GHS 2.0  
Replaces version of: 25.02.2016 (GHS 1)

Revision: 13.10.2017

### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## SECTION 7: HANDLING AND STORAGE

### 7.1 Precautions for safe handling

#### Recommendations

- **Measures to prevent fire as well as aerosol and dust generation**

Use only in well-ventilated areas. Use local and general ventilation. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools.

- **Warning**

Vapours are heavier than air, spread along floors and form explosive mixtures with air.

#### Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feed-stuffs.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Managing of associated risks

- **Explosive atmospheres**

Keep container tightly closed and in a well-ventilated place. Use local and general ventilation. Keep cool. Protect from sunlight.

- **Flammability hazards**

Keep away from sources of ignition - No smoking. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge. Protect from sunlight.

#### Incompatible substances or mixtures

Observe hints for combined storage.

#### Consideration of other advice

- **Ventilation requirements**

Use local and general ventilation. Ground/bond container and receiving equipment.

- **Packaging compatibilities**

Only packagings which are approved (e.g. acc. to ADR) may be used.

Suitable materials and coatings for container/equipment: Carbon Steel, Stainless Steel, Polyester, Polytetrafluoroethylene (PTFE), Polyvinyl Alcohol (PVA)

Unsuitable Materials and Coatings for container/equipment: Butyl Rubber, Natural Rubber, Ethylene-propylene-diene monomer (EPDM), Polystyrene, Polyethylene, Polyacrylonitrile.

### 7.3 Specific end use(s)

See attached exposure scenarios

## n-hexane

Version number: GHS 2.0  
Replaces version of: 25.02.2016 (GHS 1)

Revision: 13.10.2017

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters

##### National limit values

##### Occupational exposure limit values (Workplace Exposure Limits)

Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m <sup>3</sup> ]	STEL [ppm]	STEL [mg/m <sup>3</sup> ]	Source
DE	n-hexane	110-54-3	AGW	50	180	400	1,440	TRGS 900
EU	n-hexane	110-54-3	IOELV	20	72			2017/164/EU
GB	n-hexane	110-54-3	WEL	20	72			EH40/2005
IE	n-hexane	110-54-3	OELV	20	72			S.I. No. 619 of 2001

##### Notation

STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period unless otherwise specified.

TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average.

##### Relevant DNELs/DMELs/PNECs and other threshold levels

##### • human health values

Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	11 mg/kg	human, dermal	worker (industry)	chronic - systemic effects
DNEL	75 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
DNEL	4 mg/kg	human, oral	consumer (private households)	chronic - systemic effects
DNEL	5.3 mg/kg	human, dermal	consumer (private households)	chronic - systemic effects
DNEL	16 mg/m <sup>3</sup>	human, inhalatory	consumer (private households)	chronic - systemic effects

#### 8.2 Exposure controls

##### Appropriate engineering controls

Technical measures and the appliance of appropriate working methods take priority over the use of personal protective equipment.

Safety and necessary control measures vary according to exposure conditions. Appropriate measures are:

Open windows, door, to allow sufficient ventilation. If this is not possible employ a fan to increase air exchange (see attached exposure scenarios).

##### Individual protection measures (personal protective equipment)

##### Eye/face protection

Use safety goggle with side protection.

##### Skin protection

##### • hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374.

Short-term contact with the skin: Disposable gloves

Long-term contact with the skin: Gloves with long cuffs

Check leak-tightness/impermeability prior to use.

## n-hexane

Version number: GHS 2.0  
Replaces version of: 25.02.2016 (GHS 1)

Revision: 13.10.2017

- **type of material**

NBR: acrylonitrile-butadiene rubber, FKM: fluoro-elastomer

- **material thickness**

0,40 mm.

- **breakthrough times of the glove material**

>480 minutes (permeation: level 6)

- **other protection measures**

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Body protection:

Suitable protective clothing: Flame resistant clothing

Suitable safety shoes: Anti static safety shoes according to EN 345 S3

### Respiratory protection

For activities in enclosed areas at elevated temperatures of the substance, local extraction or explosion protected ventilation equipment is recommended. In case this is not sufficient for the intended use, then apply a suitable respiratory protection according to EN 140 type A or better (see exposure scenarios).

### Environmental exposure controls

Do not empty into drains.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

#### Appearance

Physical state	liquid
Colour	colourless
Odour	characteristic

#### Other physical and chemical parameters

pH (value)	not determined
Melting point/freezing point	<-95 °C at 101.3 kPa (ASTM D 5950)
Initial boiling point and boiling range	>65 – 72 °C at 101.3 kPa (ASTM D 1078)
Flash point	<-20 °C (DIN 51755)
Explosive limits	
• lower explosion limit (LEL)	1.1 vol%
• upper explosion limit (UEL)	8.3 vol%
Vapour pressure	20 – 30 kPa at 20 °C
Density	0.66 – 0.68 g/cm <sup>3</sup> at 15 °C
Solubility(ies)	
Water solubility	9.8 mg/l at 25 °C
Partition coefficient	
n-octanol/water (log KOW)	This information is not available.
Auto-ignition temperature	>220 °C
Viscosity	
• kinematic viscosity	0.47 – 0.55 mm <sup>2</sup> /s at 20 °C (ASTM D 445)

## n-hexane

Version number: GHS 2.0  
Replaces version of: 25.02.2016 (GHS 1)

Revision: 13.10.2017

Explosive properties  
in use, may form flammable/explosive vapour-air mixture  
Oxidising properties none

### 9.2 Other information

Surface tension 17 – 19  $\text{mN/m}$  (Wilhelmy Plate)

## SECTION 10: STABILITY AND REACTIVITY

### 10.1 Reactivity

risk of ignition  
• if heated  
risk of ignition

### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure (see below "Conditions to avoid").

### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

### 10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

#### Hints to prevent fire or explosion

Use only non-sparking tools.

### 10.5 Incompatible materials

oxidisers

### 10.6 Hazardous decomposition products

No known hazardous decomposition products.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

#### Classification according to GHS (1272/2008/EC, CLP)

##### Acute toxicity

Shall not be classified as acutely toxic.

Exposure route	Endpoint	Value	Species
dermal	LD50	3,350 $\text{mg/kg}$	rabbit
oral	LD50	16,000 $\text{mg/kg}$	rat
inhalation: vapour	LC50	259,354 $\text{mg/m}^3/4\text{h}$	rat

##### Skin corrosion/irritation

Causes skin irritation.

##### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.



## n-hexane

Version number: GHS 2.0  
Replaces version of: 25.02.2016 (GHS 1)

Revision: 13.10.2017

### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

### Summary of evaluation of the CMR properties

Suspected of damaging fertility.

Shall not be classified as germ cell mutagenic.

Shall not be classified as carcinogenic.

### Specific target organ toxicity (STOT)

#### • Specific target organ toxicity - single exposure

May cause drowsiness or dizziness.

#### • Specific target organ toxicity - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

### Aspiration hazard

May be fatal if swallowed and enters airways.

### Information on likely routes of exposure

If on skin. If inhaled.

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1 Toxicity

#### Aquatic toxicity (acute)

Endpoint	Value	Species	Exposure time
LL50	12.51 mg/l	algae	96 h
EL50	21.85 mg/l	daphnia magna	48 h
EL50	9.285 mg/l	algae	72 h

#### Aquatic toxicity (chronic)

May cause long-term adverse effects in the aquatic environment.

Endpoint	Value	Species	Exposure time
NOELR	2.8 mg/l	rainbow trout (Oncorhynchus mykiss)	28 d
NOELR	4.888 mg/l	daphnia magna	21 d

### 12.2 Persistence and degradability

The substance is readily biodegradable.

### 12.3 Bioaccumulative potential

Data are not available.

### 12.4 Mobility in soil

Data are not available.

### 12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

### 12.6 Other adverse effects

Data are not available.

## n-hexane

Version number: GHS 2.0  
Replaces version of: 25.02.2016 (GHS 1)

Revision: 13.10.2017

### SECTION 13: DISPOSAL CONSIDERATIONS

#### 13.1 Waste treatment methods

##### Waste treatment-relevant information

Solvent reclamation/regeneration.

##### Sewage disposal-relevant information

Do not empty into drains.

##### Waste treatment of containers/packagings

Empty containers may contain residue and can be dangerous. Do not attempt to refill or clean containers without proper instructions. Empty drums should be completely drained and safely stored until appropriately re-conditioned or disposed. Empty containers should be taken for recycling, recovery, or disposal through suitably qualified or licensed contractor and in accordance with governmental regulations. DO NOT PRESSURISE, CUT, WELD, BRAZE, SOLDER, DRILL, GRIND, OR EXPOSE SUCH CONTAINERS TO HEAT, FLAME, SPARKS, STATIC ELECTRICITY, OR OTHER SOURCES OF IGNITION. THEY MAY EXPLODE AND CAUSE INJURY OR DEATH.

##### List of wastes

Proposed waste code(s) for the used product:

07 01 04x Other organic solvents, washing liquids and mother liquors

##### Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

### SECTION 14: TRANSPORT INFORMATION

14.1	UN number	1208
14.2	UN proper shipping name	HEXANES
	Technical name	n-Hexane
14.3	Transport hazard class(es)	
	Class	3 (flammable liquids)
14.4	Packing group	II (substance presenting medium danger)
14.5	Environmental hazards	hazardous to the aquatic environment
14.6	Special precautions for user	
	Provisions for dangerous goods (ADR) should be complied within the premises.	

#### 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

The cargo is not intended to be carried in bulk.

##### Information for each of the UN Model Regulations


###### • Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)

UN number	1208
Proper shipping name	HEXANES
Technical name (hazardous constituents)	n-Hexane
Class	3
Classification code	F1
Packing group	II
Danger label(s)	3 + "fish and tree"


## n-hexane

Version number: GHS 2.0  
Replaces version of: 25.02.2016 (GHS 1)

Revision: 13.10.2017



Environmental hazards	yes (hazardous to the aquatic environment)
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 L
Transport category (TC)	2
Tunnel restriction code (TRC)	D/E
Hazard identification No	33
<b>Emergency Action Code</b>	3YE
<b>• International Maritime Dangerous Goods Code (IMDG)</b>	
UN number	1208
Proper shipping name	HEXANES
Particulars in the shipper's declaration	UN1208, HEXANES, 3, II, -20 °C c.c., MARINE POLLUTANT
Class	3
Marine pollutant	yes (hazardous to the aquatic environment)
Packing group	II
Danger label(s)	3 + "fish and tree"



Special provisions (SP)	-
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 L
EmS	F-E, S-D
Stowage category	E
<b>• International Civil Aviation Organization (ICAO-IATA/DGR)</b>	
UN number	1208
Proper shipping name	Hexanes
Class	3
Environmental hazards	yes (hazardous to the aquatic environment)
Packing group	II
Danger label(s)	3



Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 L

## n-hexane

Version number: GHS 2.0  
Replaces version of: 25.02.2016 (GHS 1)

Revision: 13.10.2017

### SECTION 15: REGULATORY INFORMATION

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

- **Restrictions according to REACH, Annex XVII**

Name of substance	CAS No	Wt%	Type of registration	No
n-hexane		100	1907/2006/EC annex XVII	3
n-hexane		100	1907/2006/EC annex XVII	40

- **List of substances subject to authorisation (REACH, Annex XIV)**

not listed

- **2012/18/EU (Seveso III)**

No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements		Notes
E2	environmental hazards (hazardous to the aquatic environment, cat. 2)	200	500	57)

**Notation**

57) Hazardous to the Aquatic Environment in category Chronic 2.

- **Limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products (2004/42/EC, Deco-Paint Directive)**

VOC content 100 %

- **Directive on industrial emissions (VOCs, 2010/75/EU)**

VOC content 100 %

- **Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS) - Annex II**

not listed

- **Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)**

not listed

- **Directive 2000/60/EC establishing a framework for Community action in the field of water policy (WFD)**

not listed

**National inventories**

Country	Inventory	Status
AU	AICS	substance is listed
CA	DSL	substance is listed
CA	NDSL	not listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
JP	ISHA-ENCS	not listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed

## n-hexane

Version number: GHS 2.0  
Replaces version of: 25.02.2016 (GHS 1)

Revision: 13.10.2017

Country	Inventory	Status
PH	PICCS	substance is listed
TR	CICR	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed

### Legend

AICS	Australian Inventory of Chemical Substances.
CICR	Chemical Inventory and Control Regulation.
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS).
DSL	Domestic Substances List (DSL).
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP).
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China.
INSQ	National Inventory of Chemical Substances.
ISHA-ENCS	Inventory of Existing and New Chemical Substances (ISHA-ENCS).
KECI	Korea Existing Chemicals Inventory.
NDSL	Non-domestic Substances List (NDSL).
NZIoC	New Zealand Inventory of Chemicals.
PICCS	Philippine Inventory of Chemicals and Chemical Substances.
REACH Reg.	REACH registered substances.
TCSI	Taiwan Chemical Substance Inventory.
TSCA	Toxic Substance Control Act.

## 15.2 Chemical Safety Assessment

For this substance a chemical safety assessment has been carried out.

## SECTION 16: OTHER INFORMATION

### 16.1 Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)
1.3	Competent person responsible for the safety data sheet: Christian Knappe	Competent person responsible for the safety data sheet: Vanessa Manz
1.4	Emergency information service: DHC Solvent Chemie GmbH +49 (208) 9940-112  This number is only for medical emergencies. Giftnotrufzentrale Berlin +49 (0)30 19 240.	Emergency information service
1.4		Poison centre: change in the listing (table)
2.2		Precautionary statements - prevention: change in the listing (table)
2.2		Precautionary statements - disposal: change in the listing (table)
6.2	Environmental precautions: Keep away from drains, surface and ground water. Re- tain contaminated washing water and dispose of it.	Environmental precautions: Keep away from drains, surface and ground water. Re- tain contaminated washing water and dispose of it. If sub- stance has entered a water course or sewer, inform the responsible authority.
8.1		Occupational exposure limit values (Workplace Exposure Limits): change in the listing (table)
11.1		Information on likely routes of exposure: If on skin. If inhaled.
15.1		• Restrictions according to REACH, Annex XVII: change in the listing (table)

## n-hexane

Version number: GHS 2.0  
Replaces version of: 25.02.2016 (GHS 1)

Revision: 13.10.2017

Section	Former entry (text/value)	Actual entry (text/value)
15.1		National inventories: change in the listing (table)
16		Abbreviations and acronyms: change in the listing (table)
16	<p>Key literature references and sources for data:</p> <ul style="list-style-type: none"> <li>- Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU</li> <li>- Regulation (EC) No. 1272/2008 (CLP, EU GHS)</li> <li>- See attached exposure scenarios <a href="http://www.dhc-solvent.de/dhc_sdbreach.html">http://www.dhc-solvent.de/dhc_sdbreach.html</a></li> </ul> <p><a href="http://www.dhc-solvent.de/en/dhc_sdbreach.html">http://www.dhc-solvent.de/en/dhc_sdbreach.html</a> Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). International Air Transport Association (IATA).</p>	<p>Key literature references and sources for data:</p> <ul style="list-style-type: none"> <li>- Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU</li> <li>- Regulation (EC) No. 1272/2008 (CLP, EU GHS)</li> <li>- The exposure scenarios are available at <a href="http://www.dhc-solvent.de">www.dhc-solvent.de</a> in the Service section.</li> </ul> <p>Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). International Air Transport Association (IATA).</p>
16		<p>Disclaimer:</p> <p>This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product. The information concerning legal regulations can lay no claim to completeness. In addition to this, other provisions may also apply to the product.</p>

### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2017/164/EU	Commission Directive establishing a fourth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC, and amending Commission Directives 91/322/EEC, 2000/39/EC and 2009/161/EU
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
AGW	Workplace exposure limit
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
CMR	Carcinogenic, Mutagenic or toxic for Reproduction
DGR	Dangerous Goods Regulations (see IATA/DGR)
DMEL	Derived Minimal Effect Level
DNEL	Derived No-Effect Level
EH40/2005	EH40/2005 Workplace exposure limits ( <a href="http://www.nationalarchives.gov.uk/doc/open-government-licence/">http://www.nationalarchives.gov.uk/doc/open-government-licence/</a> )
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	Indicative occupational exposure limit value
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")

## n-hexane

Version number: GHS 2.0  
Replaces version of: 25.02.2016 (GHS 1)

Revision: 13.10.2017

Abbr.	Descriptions of used abbreviations
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
S.I. No. 619 of 2001	Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001
STEL	Short-term exposure limit
TRGS 900	Arbeitsplatzgrenzwerte (TRGS 900)
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

### Key literature references and sources for data

- Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU
- Regulation (EC) No. 1272/2008 (CLP, EU GHS)
- The exposure scenarios are available at [www.dhc-solvent.de](http://www.dhc-solvent.de) in the Service section.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN).  
International Maritime Dangerous Goods Code (IMDG).  
International Air Transport Association (IATA).

### List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H225	Highly flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H336	May cause drowsiness or dizziness.
H361f	Suspected of damaging fertility.
H373	May cause damage to organs through prolonged or repeated exposure.
H411	Toxic to aquatic life with long lasting effects.

### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product. The information concerning legal regulations can lay no claim to completeness. In addition to this, other provisions may also apply to the product.